



CONTROL CABINET INTERFACES / CABLE ENTRY SYSTEMS


- Durable connections
- Modular system
- High protection degree

MODLINK MPV CABLE ENTRY SYSTEM

The article numbers help you figure out whether you are ordering inserts, individual frames or sets.
A set has one part number for up to three components.

THE MODLINK MPV SET


The set article number is made up of **A**, **B** and **C**.



First select your components:

- Block A:** Frame (e.g. 4000-69**122**-000 0000 for double frame)
Block B: Insert 1 (e.g. 4000-69000-**100** 0000 for M12 / SUB-D)
Block C: Insert 2 (e.g. 4000-69000-**200** 0000 for 7/8" / spring clamp terminal)

The article number for this example set will be:



Control Cabinet Interfaces



Modlink MPV – modular

- Frames
- Inserts
- Accessories

Page 2.2.1

Cable Entry Systems



Cable entry system – modular

- Cable entry plate
- Inserts

Page 2.2.3



Cable entry system – predefined

- Rectangular
- Round

Page 2.2.4

MPV Frame			Art-No.
	Single for standard cut-out Size 6 (35 × 52 mm) IP65	cURus	4000-69112-0000000
	Double for standard cut-out Size 24 (35 × 112 mm) IP65	cURus	4000-69122-0000000
	Single (30°-angle) for standard cut-out Size 6 (35 × 52 mm) IP65	cURus	4000-69212-0000000
	Double (30°-angle) for standard cut-out Size 24 (35 × 112 mm) IP65	cURus	4000-69222-0000000
MPV Inserts			Art-No.
	M12 M12 (male/female) 5-pole IP65	cURus	4000-69000-1040000
	M12 (male/female) 5-pole, B-coded IP65	cURus	4000-69000-1060000
	M12 (male/female) 6-pole, Cube67 IP65	cURus	4000-69000-1080000
	M12; SUB-D9 M12 (female) B-coded SUB-D9 (female) IP65	cURus	4000-69000-1000000
	M12; terminators M12 (female) 5-pole, A-coded Spring clamp terminal connection IP65		4000-69000-1050000

CONTROL CABINET INTERFACES / CABLE ENTRY SYSTEMS

MPV Inserts			Art-No.
	M12; terminators M12 (female) 5-pole, A-coded Screw terminal connection (yellow) Safety IP65		4000-69000-1090000
	M12; RJ45 M12 (female) 4-pole, D-coded RJ45 (8/8-pole) metal, CAT6 IP65		4000-69000-1100000
	7/8"; Spring clamp terminal 7/8" (female) Spring clamp terminal connection IP65	cURus	4000-69000-2000000
	7/8"; Spring clamp terminal 7/8" (male) Spring clamp terminal connection		4000-69000-2040000
	RJ45 RJ45 (8/8-pole) metal, CAT6 IP65	cURus	4000-69000-2500000
	LWL Fiber Optic (male/male) single mode IP65		4000-69000-5200000
MPV accessories			Art-No.
	Blind insert for sealing of unused openings IP65	cURus	4000-69000-9000000

CONTROL CABINET INTERFACES / CABLE ENTRY SYSTEMS

MPV accessories			Art-No.
	RJ45 Male straight, 4-pole IP65		4000-69000-9500050
	RJ45 Male 90°, 4-pole IP65		4000-69000-9500060
	Control cabinet entry system M12 straight, A-coded, 5-pole, shielded	DeviceNet, CANopen	7000-42111-0000000
	straight, B-coded, 5-pole, shielded	PROFIBUS, Interbus	7000-44111-0000000
	straight, A-coded, 6-pole, shielded	Cube67	7000-46111-0000000
	Control cabinet entry system M12 straight, D-coded, 4-pole, shielded (female/female)	Ethernet CAT5	7000-44611-0000000
Connectors			Art-No.
	Size 16 for 4 cables (0 large, 4 small)		4000-70103-0004000
	for 5 cables (1 large, 4 small)		4000-70103-0104000
	for 8 cables (0 large, 8 small)		4000-70103-0008000
	Size 24 for 4 cables (2 large, 2 small)		4000-70103-0202000
	for 7 cables (1 large, 6 small)		4000-70103-0106000
	for 10 cables (0 large, 10 small)		4000-70103-0010000