
CVS100/160/250B: complete fixed/FC device

EasyPact CVS100/160/250B
(25 kA 380/415 V)

EasyPact CVS100/160/250B

With TM-D thermal-magnetic trip unit

DB400150




EasyPact CVS100B (25 kA at 380/415 V)			
Rating	**3P** 3d	**4P** 3d	**4P** 4d
TM16D	**LV510300**	**LV510310**	
TM25D	**LV510301**	**LV510311**	**LV510321**
TM32D	**LV510302**	**LV510312**	**LV510322**
TM40D	**LV510303**	**LV510313**	**LV510323**
TM50D	**LV510304**	**LV510314**	**LV510324**
TM63D	**LV510305**	**LV510315**	**LV510325**
TM80D	**LV510306**	**LV510316**	**LV510326**
TM100D	**LV510307**	**LV510317**	**LV510327**
EasyPact CVS160B (25 kA at 380/415 V)			
Rating	**3P** 3d	**4P** 3d	**4P** 4d
TM100D	**LV516301**	**LV516311**	
TM125D	**LV516302**	**LV516312**	**LV516322**
TM160D	**LV516303**	**LV516313**	**LV516323**
EasyPact CVS250B (25 kA at 380/415 V)			
Rating	**3P** 3d	**4P** 3d	**4P** 4d
TM160D	**LV525301**		
TM200D	**LV525302**	**LV525312**	**LV525322**
TM250D	**LV525303**	**LV525313**	**LV525323**

EasyPact CVS160/250B

With TM-G thermal-magnetic trip unit

DB400150



EasyPact CVS160B (25 kA at 380/415 V)		
Rating	**3P** 3d	**4P** 3d
TM80G	**LV510736**	**LV510748**
TM100G	**LV510737**	**LV510749**
TM125G	**LV516732**	**LV516742**
TM160G	**LV516733**	**LV516743**
EasyPact CVS250B (25 kA at 380/415 V)		
Rating	**3P** 3d	**4P** 3d
TM200G	**LV525732**	**LV525742**
TM250G	**LV525733**	**LV525743**


CVS100/160/250F: complete fixed/FC device

EasyPact CVS100/160/250F (36 kA 380/415 V)

EasyPact CVS100/160/250F

With TM-D thermal-magnetic trip unit

DB400150




Rating	**3P** 3d	**4P** 3d	**4P** 4d
EasyPact CVS100F (36 kA at 380/415 V)			
TM16D	**LV510330**	**LV510340**	
TM25D	**LV510331**	**LV510341**	
TM32D	**LV510332**	**LV510342**	**LV510352**
TM40D	**LV510333**	**LV510343**	**LV510353**
TM50D	**LV510334**	**LV510344**	**LV510354**
TM63D	**LV510335**	**LV510345**	**LV510355**
TM80D	**LV510336**	**LV510346**	**LV510356**
TM100D	**LV510337**	**LV510347**	**LV510357**
EasyPact CVS160F (36 kA at 380/415 V)			
Rating	**3P** 3d	**4P** 3d	**4P** 4d
TM100D	**LV516331**	**LV516341**	
TM125D	**LV516332**	**LV516342**	**LV516352**
TM160D	**LV516333**	**LV516343**	**LV516353**
EasyPact CVS250F (36 kA at 380/415 V)			
Rating	**3P** 3d	**4P** 3d	**4P** 4d
TM160D	**LV525331**		
TM200D	**LV525332**	**LV525342**	**LV525352**
TM250D	**LV525333**	**LV525343**	**LV525353**

EasyPact CVS100/160/250F

With MA magnetic trip unit

DB400150



Rating	**3P** 3d
EasyPact CVS100F (36 kA at 380/415 V)	
MA2.5	**LV510440**
MA6.3	**LV510441**
MA12.5	**LV510442**
MA25	**LV510443**
MA50	**LV510444**
MA100	**LV510445**
EasyPact CVS160F (36 kA at 380/415 V)	
Rating	**3P** 3d
MA100	**LV516439**
MA150	**LV516440**
EasyPact CVS250F (36 kA at 380/415 V)	
Rating	**3P** 3d
MA220	**LV525439**


CVS100/160/250N: complete fixed/FC device

EasyPact CVS100/160/250N
(50 kA 380/415 V)

EasyPact CVS160/250N

With TM-D thermal-magnetic trip unit

DB400150




EasyPact CVS100N (50 kA at 380/415 V)		
Rating	**3P 3d**	4P 3d
TM16D	**LV510470**	**LV510480**
TM25D	**LV510471**	**LV510481**
TM32D	**LV510472**	**LV510482**
TM40D	**LV510473**	**LV510483**
TM50D	**LV510474**	**LV510484**
TM63D	**LV510475**	LV510485
TM80D	**LV510476**	**LV510486**
TM100D	**LV510477**	**LV510487**
EasyPact CVS160N (50 kA at 380/415 V)		
Rating	**3P 3d**	**4P 3d**
TM100D	**LV516461**	**LV516466**
TM125D	**LV516462**	**LV516467**
TM160D	**LV516463**	**LV516468**
EasyPact CVS250N (50 kA at 380/415 V)		
Rating	**3P 3d**	**4P 3d**
TM200D	**LV525452**	**LV525457**
TM250D	**LV525453**	**LV525458**

EasyPact CVS100/160/250N

With MA magnetic trip unit

DB400150



EasyPact CVS100N (50 kA at 380/415 V)	
Rating	**3P** 3d
MA2.5	**LV510450**
MA6.3	**LV510451**
MA12.5	**LV510452**
MA25	**LV510453**
MA50	**LV510454**
MA100	**LV510455**
EasyPact CVS160N (50 kA at 380/415 V)	
Rating	**3P** 3d
MA100	**LV516450**
MA150	**LV516451**
EasyPact CVS250N (50 kA at 380/415 V)	
Rating	**3P** 3d
MA220	**LV525442**


CVS100/160/250NA: complete fixed/FC device

EasyPact CVS100/160/250NA

EasyPact CVS100/160/250NA switch-disconnector

With NA switch-disconnector unit

DB400155




EasyPact CVS100NA		
Rating	**3P**	**4P**
100	**LV510425**	**LV510426**
EasyPact CVS160NA		
Rating	**3P**	**4P**
160	**LV516425**	**LV516426**
EasyPact CVS250NA		
Rating	**3P**	**4P**
250	**LV525425**	**LV525426**

Add-on Vigi module
EasyPact and Vigi CVS100/160/250

+ Vigi module

Vigi module

DB111464




	3P	4P
CVS100/160 (220 to 440 V)	**LV429210**	**LV429211**
CVS250 (220 to 440 V)	**LV431535**	**LV431536**

Accessories
EasyPact and Vigi CVS100/160/250

Connection accessories (Cu or Al)

Rear connections


DB112225



2 short		**LV429235**
2 long		**LV429236**


Bare cable connectors

DB112226



Steel connectors	1 x (1.5 to 95 mm²) ; ≤ 160 A	Set of 3	**LV429242**
		Set of 4	**LV429243**

DB112225




Aluminium connectors	1 x (25 to 95 mm²) ; ≤ 250 A	Set of 3	**LV429227**
		Set of 4	**LV429228**
	1 x (120 to 185 mm²) ; ≤ 250 A	Set of 3	**LV429259**
		Set of 4	**LV429260**

DB112726



Clips for connectors		Set of 10	**LV429241**

DB112227



Aluminium connectors for 2 cables (1)	2 x (50 to 120 mm²) ; ≤ 250 A	Set of 3	**LV429218**
		Set of 4	**LV429219**


DB112724



6.35 mm voltage tap for steel or aluminium connectors		Set of 10	**LV429348**

Terminal extensions

DB112235







Spreaders from 35 to 45 mm pitch (1)		Set of 3	**LV431563**
		Set of 4	**LV431564**

(1) Supplied with 2 or 3 interphase barriers.

Accessories
EasyPact and Vigi CVS100/160/250

Insulation accessories

DB112238 	1 short terminal shield for breaker	3 P	**LV429515**
		4 P	**LV429516**
DB400045 	1 long terminal shield for breaker	3 P	**LV429517**
		4 P	**LV429518**
DB400061 	Interphase barriers for breaker	Set of 6	**LV429329**
DB400163 	2 insulating screens for breaker (45 mm pitch)	3P	**LV429330**
		4P	**LV429331**

(1) Supplied with 2 or 3 interphase barriers.

Accessories
EasyPact and Vigi CVS100/160/250

Electrical auxiliaries


Auxiliary contacts (changeover)

DB112254



OF or SD or SDE or SDV	**29450**
OF or SD or SDE or SDV low level	**29452**

CDB500821-00



SDE adaptor, mandatory for trip unit TM, MA	**LV429451**

Voltage releases

DB111454




	Voltage	MX	MN
AC	110-130 V 50/60 Hz	**LV429386**	**LV429406**
	220-240 V 50/60 Hz and 208-277 V 60 Hz	**LV429387**	**LV429407**
DC	24 V	**LV429390**	**LV429410**

Accessories
EasyPact and Vigi CVS100/160/250

Rotary handles

Direct rotary handle


DB112259



With black handle		**LV429337**

Extended rotary handle

DB112260




With black handle		**LV429338**

Locks


Toggle locking device for 1 to 3 padlocks

DB400164



By removable device		**29370**


DB400165



By fixed device		**29371**

Locking of rotary handle

DB112263



Keylock adaptor (keylock not included)		**LV429344**
Keylock (keylock adaptor not included)	Ronis 1351B.500	**41940**
	Profalux KS5 B24 D4Z	**42888**

CVS400/630: complete fixed/FC device **E-13**

EasyPact CVS400/630F with TM-D (36 kA 380/415 V) E-13
EasyPact CVS400/630N with TM-D (50 kA 380/415 V) E-13
EasyPact CVS400/630F/N with MA (36/50 kA 380/415 V) E-13
EasyPact CVS400/630F/N with ETS2.3 (36/50 kA 380/415 V) E-14
EasyPact CVS400/630NA switch-disconnector E-14
Add-on Vigi module: EasyPact and Vigi E-14

Accessories **E-15**
EasyPact and Vigi CVS400/630 E-15


CVS400/630: complete fixed/FC device

EasyPact CVS400/630F/N (36/50 kA 380/415 V)

EasyPact CVS400/630F

With TM-D thermal-magnetic trip unit

DB400008




Rating	3P 3d	4P 3d	4P 4d
EasyPact CVS400F (36 kA at 380/415 V)			
TM320D	**LV540305**	**LV540308**	**LV540311**
TM400D	**LV540306**	**LV540309**	**LV540312**
EasyPact CVS630F (36 kA at 380/415 V)			
Rating	**3P** 3d	**4P** 3d	**4P** 4d
TM500D	**LV563305**	**LV563308**	**LV563311**
TM600D	**LV563306**	**LV563309**	**LV563312**

EasyPact CVS400/630N

With TM-D thermal-magnetic trip unit

DB400008




Rating	3P 3d	4P 3d	4P 4d
EasyPact CVS400N (50 kA at 380/415 V)			
Rating	**3P** 3d	**4P** 3d	**4P** 4d
TM320D	**LV540315**	**LV540318**	
TM400D	**LV540316**	**LV540319**	**LV540322**
EasyPact CVS630N (50 kA at 380/415 V)			
Rating	**3P** 3d	**4P** 3d	**4P** 4d
TM500D	**LV563315**	**LV563318**	**LV563321**
TM600D	**LV563316**	**LV563319**	**LV563322**

EasyPact CVS400/630F/N

With MA magnetic trip unit

DB400020



Rating	3P 3D
EasyPact CVS400F (36 kA at 380/415 V)	
Rating	**3P** 3D
MA320	**LV540550**
EasyPact CVS400N (50 kA at 380/415 V)	
Rating	
MA320	**LV540552**
EasyPact CVS630F (36 kA at 380/415 V)	
Rating	
MA500	**LV563550**
EasyPact CVS630N (50 kA at 380/415 V)	
Rating	
MA500	**LV563552**


CVS400/630: complete fixed/FC device

EasyPact CVS400/630F/N (36/50 kA 380/415 V)

EasyPact CVS400/630F

ETS 2.3 electronic trip unit (LS_0I protection)

DB400021




		3P 3d	**4P** 3d, 4d, 3d + N/2
EasyPact CVS400F (36 kA at 380/415 V)	400 A	**LV540505**	**LV540506**
EasyPact CVS630F (36 kA at 380/415 V)	630 A	**LV563505**	**LV563506**

EasyPact CVS400/630N

ETS 2.3 electronic trip unit (LS_0I protection)

DB400021




		3P 3d	**4P** 3d, 4d, 3d + N/2
EasyPact CVS400N (50 kA at 380/415 V)	400 A	**LV540510**	**LV540511**
EasyPact CVS630N (50 kA at 380/415 V)	630 A	**LV563510**	**LV563511**

EasyPact CVS400/630 NA switch-disconnector

NA switch disconnector

DB400023




	3P	**4P**
EasyPact CVS400 NA	**LV540400**	**LV540401**
EasyPact CVS630 NA	**LV563400**	**LV563401**

+ Vigi module

Vigi module

DB111464




	3P	**4P**
CVS400/630(200 to 440 V)	**LV432455**	**LV432456**

Accessories
EasyPact and Vigi CVS400/630

Connection accessories (Cu or Al)

Rear connections

DB112225



2 short		**LV432475**
2 long		**LV432476**

Cable connectors (1)

E22040



E22041



Aluminium connector 1x (35 to 300 mm²)	Set of 3	**LV432479**
	Set of 4	**LV432480**
Aluminium connector 2x (35 to 240 mm²)	Set of 3	**LV432481**
	Set of 4	**LV432482**
Voltage plug for aluminium connector 1 or 2 cables	Set of 10	**LV429348**

Terminal extension (1)


E21012



Spreaders	52.5 mm	3P	**LV432490**
		4P	**LV432491**
	70 mm	3P	**LV432492**
		4P	**LV432493**

Insulation accessories

E18618



E18606



Short terminal shield, 45 mm (1 piece)	3P	**LV432591**
	4P	**LV432592**
Long terminal shield, 45 mm (1 piece)	3P	**LV432593**
	4P	**LV432594**
Interphase barriers	Set of 6	**LV432570**
Long terminal shield for spreaders, 52,5mm (1 piece) (supplied with insulating plate)	3P	**LV432595**
	4P	**LV432596**
2 insulating screens (70 mm pitch)	3P	**LV432578**
	4P	**LV432579**

(1) supplied with 2 or 3 interphase barriers

Accessories
EasyPact and Vigi CVS400/630

Electrical auxiliaries


Auxiliary contacts (changeover)

E18608



OF or SD or SDE or SDV	**29450**
OF or SD or SDE or SDV low level	**29452**


CDB5000821-00



SDE adaptor mandatory for trip unit TM, MA and ETS2.3	**LV540050**

Voltage releases

E18609




	Voltage	MX	MN
AC	110-130 V 50/60 Hz	**LV429386**	**LV429406**
	220-240 V 50/60 Hz and 208-277 V 60 Hz	**LV429387**	**LV429407**
DC	24 V	**LV429390**	**LV429410**

Accessories
EasyPact and Vigi CVS400/630

Rotary handle

Direct rotary handle


E18611



Standard black handle	**LV432597**

Extended rotary handle

E18612



Standard extended rotary handle	**LV432598**

Locks


Toggle locking device for 1 to 3 padlocks

E18621



By removable device	**29370**


E18613



By fixed device	**32631**

Locking of the rotary handle

E18620



Keylock adaptor (keylock not included)		**LV432604**
Keylock (keylock adaptor not included)	Ronis 1351B.500	**41940**
	Profalux KS5 B24 D4Z	**42888**